

VPL-HW55ES flawless, cinematic detail: Full HD 3D

Full HD 3D home cinema projector with Reality Creation, SXRD panels, high brightness – even in a well-lit living room



• Dynamic contrast ratio: 120.000:1

- Brightness: 1,700 ANSI lumens
- Reality Creation
- Long lasting lamp (up to 5,000 hours)
- Wireless HDMI compatible (optional accessory)
- SXRD panels and advanced Iris 3 technology









Images so real you could touch them

Crisp, sharp, detailed Full HD 3D. The VPL-HW55ES is a fantastic option for any movie lover looking for an incredible cinematic experience at home, far beyond the reach of TV.

Reality Creation Our Super

Advanced SXRD panels

Get closer to a real cinema experience

The VPL-HW55ES is a Full HD 3D home cinema projector packed with our latest technology for an incredibly sharp, crystal clear cinematic experience. All you need to add is the popcorn.

High brightness and contrast ratio

With 1,700 ANSI lumens colour brightness and a dynamic contrast ratio of 120,000:1 you have a 3D experience that has to be seen to be believed. Advanced SXRD panels along with features like Reality Creation and Motionflow mean you'll see your favourite films at their very best, in 3D and 2D.

Long lasting lamp

The lamp lasts approximately up to 5,000 hours – that's roughly 60% longer than our standard home cinema projectors – to lower your costs and total cost of ownership.

Reality Creation – Super Resolution function

Developed for our leading 4K home cinema projector (VPL-VW1000ES), Reality Creation reproduces colours and textures that are lost when movies are packaged to disc. It gives you crisper, sharper Full HD pictures, much closer to the 1080p original.





View the best possible images

1,700 lumens brightness with faithful colour reproduction

Thanks to an improved optical engine, the VPL-HW55ES is much brighter than our previous standard home cinema projectors. At 1,700 lumens, it produces clearer images and faithful colours, even in well-lit rooms.





Bright Cinema and Bright TV modes

Conventional home cinema projectors sacrifice some colour accuracy by increasing greens to improve brightness. With Bright Cinema and Bright TV modes, the VPL-HW55ES retains true colour and contrast, even in a bright environment.





Dynamic contrast now 120.000:1

Optical engine improvements and advanced Iris 3 technology mean we've achieved an incredible dynamic contrast ratio of 120,000:1. It maximises blacks and whites without diminishing brightness so you won't miss a detail, even in dark scenes.

Improved 3D viewing: RF transmitter compatible

The VW-HW55ES works with both RF and IR 3D emission systems and meets 'Full HD 3D Initiative' industry standards. Using RF 3D glasses gives you greater stability and wider coverage (RF 3D emitter and glasses are optional accessories).

Built-in IR 3D transmitter

No set-up time or cables, just synchronise the VPL-HW55ES with your IR 3D glasses via the built-in transmitter.

Wireless HDMI option

Keep things tidy and free yourself from cables with an optional wireless HDMI emitter/ receiver kit. The VPL-HW55ES will connect wirelessly to your Blu-ray Disc™ player, games console and more.

Contrast Enhancer and advanced Iris3

Automatically adjusts contrast for optimum viewing by analyzing dark and light areas in every scene, without diminishing colour.

Motionflow

See every detail, even in fast-moving action scenes or sports. Motionflow technology shows twice as many pictures per second by creating extra images between the original frames. The result is smoother, sharper motion with less blur.

SXRD panel technology

Our SXRD panels reduce pixel gaps for super-sharp images. Because our 3D glasses have a synchronised shutter speed, you'll enjoy incredible high-definition 3D with minimal crosstalk.

Dynamic Lamp Control

When each of the shutters of your 3D glasses opens, Dynamic Lamp Control boosts the brightness by three times: this maximises picture impact as well as lamp efficiency.

2D and 3D modes

The VPL-HW55ES automatically recognises 2D or 3D content and allows you to pre-select Standard, Dynamic, Cinema, Game and Photo modes.

Extremely low fan noise

Our advanced cooling system means fan noise is reduced to a whisper-quiet 21db.

Gamma adjustment

Fine tune image brightness according to the light in the room or the on-screen picture. There are 11 modes to select from.

Wide lens shift range

A wide vertical range allows more options for placement and installation, without reducing image quality.

Perfect panel alignment

Electronic panel alignment ensures precise colour and clarity. Any colour gaps are corrected by shifting the blue and red areas of each pixel into perfect alignment with green.

Real Colour Processing (RCP Version 2)

Adjust the colour and hue using a target on the projected picture. RCP Version 2 also allows you to adjust brightness at the same time.

PrimeSupport

The VPL-HW55ES includes our PrimeSupport package: that's 3-years projector and 1-year (or 1,000 hours) lamp cover. If you experience a problem, there are no costs, just fast, professional support with our free (multi-lingual) helpline and collectand-deliver repair service. We'll also loan you a projector if a repair is expected to take longer than 10 days.









Specifications

		VPL-HW55ES
Display system		High Frame Rate SXRD panel
Light Output		1700 lm
Contrast ratio		120,000:1 (Dynamic Contrast)
Display elements	Effective display size	0.61" x 3
	Effective pixels	Full HD (1920x1080) x3 6,220,800 pixels
	Zoom / Focus	Manual (Approx. 1.6 x) / Manual
	Lens shift	Manual, V:+/-71% / H:+/-25%
Light source		Ultra High-pressure lamp 200W type
Screen size		40" to 300"
Reality Creation		YES (FullHD Reality Creation)
Compatible with Mastered in 4K Blu-ray™		No
4K 60P(YUV4:2:0/8bit)		No
3D capability		YES
3D emitter		Built-in IR emitter (Compatible with RF external emitter)
3D glasses		TDG-PJ1 (IR type : Bundled) / TDG-BT500A (RF type : Optional)
Auto Calibration		No
Manual Calibration		RCP ver 2.0
Picture Position Memory		No
Wireless HDMI compatibility		IFU-WH1 (Optional)
Advanced Iris		Ver 3
Picture modes		9 modes
		11 modes
Panel Alignment		Yes (Shift / Zone)
	HDMI (2 inputs)	Digital RGB/Y Pb/Cb Pr/Cr
	Y Pb/Cb Pr/Cr	Component: phono type
Input/Output	INPUT A	Mini D-sub 15-pin (RGB)
ii ipui/Ouipui	Remote	RS-232C, D-sub 9-pin (female)
	IR IN	Mini Jack
	3D Sync	Built-in IR Transmitter or via RJ-45 (External IR transmitter TMR-PJ2 or RF transmitter TMR-RF1)
		21dB
		AC 100 V to 240 V, 3.0 A to 1.3 A,50/60 Hz
Power consumption		Max. 300 W
Body colour		Black / White
Standard outside dimensions		W 407.4 x H 179.2 x D 463.9 mm
Weight		Approx. 9.6 kg
Supplied Accessories		Remote Control RM-PJ23
		Size AA (R6) manganese batteries (2)
		AC Power Cord for projector (1)
		3D glasses (TDG-PJ1 x 2)
		Pouch for the 3D glasses (2)
		Operating Instructions (1)

Optional Accessories

