

EPSON EB-600 Series Ultra Short Throw Projectors




3LCD

CONSISTENT DISPLAY OF DETAIL



Sharper images with no colour disruption VIVID, REALISTIC COLOUR



9 out of 10 people prefer images from 3LCD projectors over 1-chip DLP¹ EFFICIENT ENERGY USE



25% higher energy efficiency per lumen of brightness than 1-chip DLP² SUPERIOR COLOUR BRIGHTNESS



Colour Brightness than 1-chip DLP^t





High Brightness

Up to 3,500 Lumen colour and white brightness







Interactive on Multi Projection

Annotate seamlessly over two projected images







Save and Print

Save to USB memory



Print via network








Collaboration with student devices

Sending projected images

Teachers can send projected images from the bottom tool bar of the projector




Or via the teachers PC/tablet which is on the same network as the projector



Answering

Students can annotate on the received image and save it to their own device







Projecting student answers

Teachers can check all the students answers via thumbnail images and select which one they choose to share







iProjection for BYOD Classrooms


iProjection (iOS) Ver 4.1



The new version of iProjection now includes a moderator function. This allows teachers to move around the classroom and select which images they project from their tablet.

iProjection for Chromebook

iProjection is now compatible with Chromebook making the software the idea solution for BYOD classrooms.








Interactivity – Document Camera Control

Epson document cameras can be controlled directly from the projected screen

Easily change Optical zoom, focus and freeze images







Improved pen









Long life lamp and filter

Easy maintenance with both the lamp filter lasting 10,000hrs








Additional Features

Arc Correction



Dust resistant








Additional features

Touch operation of USB slide show



Onscreen timer








New Optional Mount









Interface







Range Chart – Interactive

	EB-696Ui	EB-695Wi	EB-695Wie	EB-685Wi	EB-675Wi
Resolution	WUXGA	WXGA	WXGA	WXGA	WXGA
Brightness (CLO/WLO)	3,500/3,500	3,500/3,500	3,500/3,500	3,500/3,500	3,000/3,000
Throw Ratio	0.27 (Zoom: Wide) 0.37 (Zoom: Tele)	0.28 (Zoom: Wide) 0.37 (Zoom: Tele)			
Mount Included	✓	Optional (ELPMB46)	Optional (ELPMB46)	Optional (ELPMB46)	Optional (ELPMB46)
Wireless	Optional (ELPAP10)	Optional (ELPAP10)	Optional (ELPAP10)	Optional (ELPAP10)	Optional (ELPAP10)
SMART Notebook Software	✓	✓	✓	✓	✓
HDMI	3	3	3	3	3
Interactivity	Finger and Pen	Finger and Pen	Finger and Pen	Pen	Pen





Range Chart – Non Interactive

	EB-685W	EB-685We	EB-675W	EB-680	EB-680e
Resolution	WXGA	WXGA	WXGA	XGA	XGA
Brightness (CLO/WLO)	3,500/3,500	3,500/3,500	3,000/3,000	3,500/3,500	3,500/3,500
Throw Ratio	0.28 (Zoom: Wide) 0.37 (Zoom: Tele)	0.28 (Zoom: Wide) 0.37 (Zoom: Tele)	0.28 (Zoom: Wide) 0.37 (Zoom: Tele)	0.32(Zoom: Wide) 0.43 (Zoom: Tele)	0.32(Zoom: Wide) 0.43 (Zoom: Tele)
Mount Included	Optional (ELPMB46)	Optional (ELPMB46)	Optional (ELPMB46)	Optional (ELPMB46)	Optional (ELPMB46)
Wireless	Optional (ELPAP10)	Optional (ELPAP10)	Optional (ELPAP10)	Optional (ELPAP10)	Optional (ELPAP10)
HDMI	3	3	3	3	3
USB display (Win&Mac)	3 in 1	3 in 1	3 in 1	3 in 1	3 in 1



