



## EP910 DLP™ DIGITAL PROJECTOR

### High Brightness SXGA+



- SXGA+ (1400 x 1050)
- 3500 ANSI Lumens
- New Sleek Design
- 3000:1 contrast ratio
- Texas Instruments DarkChip3™

Stylish new design equally suited to art gallery and boardroom installation and yet still portable.

Comprehensive connectivity for Data, Video and Audio with powerful network or RS232 control and security.

#### Product Highlights

<b>Native Resolution</b>	SXGA + 1400 x 1050 DLP™	<b>INPUTS</b>	
<b>DMD Type</b>	Texas Instruments DarkChip3™	<b>Composite</b>	RCA
<b>Contrast</b>	3000:1	<b>S-Video</b>	4 pin MINI DIN
<b>Brightness</b>	3500 ANSI LUMENS	<b>Component</b>	3 x RCA
<b>Lamp</b>	300W UHP	<b>RGB -SCART</b>	VIA SCART ADAPTER
<b>Hours/Power</b>	2000 Std 300w	<b>VGA</b>	15 pin (D-SUB)
	3000 Eco 250w	<b>DVI-I</b>	DVI
<b>Digital Zoom</b>	50%-200%	<b>Network</b>	RJ45
<b>Acoustic Noise</b>	32 dBA Eco Mode	<b>RS232</b>	9 pin HD
<b>Aspect Ratio</b>	4:3 Native (16.9)		
		<b>Audio Inputs</b>	
<b>Throw Ratio</b>	2.1 - 2.4:1	<b>1 ~ 4</b>	Stereo MINI Jacks
<b>Offset</b>	120%		
<b>Optical Zoom</b>	1.2 x	<b>OUTPUTS</b>	
<b>Proj. Distance</b>	Min 1.5 m - Max 10m	<b>VGA</b>	15 pin HD D TYPE
<b>Keystone Corr. H</b>	-16 deg L ~ +16 deg R	<b>Audio</b>	Mini Jack
<b>Keystone Corr. V</b>	-16 deg ~ +16 deg	<b>USB</b>	For Remote Mouse
<b>Weight</b>	4.6kg		
<b>Dimensions</b>	(411w x 311d x 116h)	<b>H Scan Rate</b>	15 kHz - 100 kHz
<b>Power</b>	100 - 240v (50 - 60 Hz)	<b>V Scan Rate</b>	43 Hz - 120Hz
		<b>Input Resolution</b>	800x600 (85Hz) 1920x1080 (60Hz)

[www.optomaeurope.com](http://www.optomaeurope.com)

© 2005 Optoma Europe Ltd. Specifications are subject to change without notice. date-08/11/2005

The DLP™ logo is a trademark of Texas Instruments.



A TEXAS INSTRUMENTS TECHNOLOGY