

INFOCUS® LP120



MOBILE PROJECTION GETS PERSONAL

At last, a projector as portable as your PDA or laptop. The InFocus LP120 reinvents the mobile projection category with a head-turning, truly mobile solution that will change the way you feel about taking a projector on the road.

Go ahead. Tuck it in the same briefcase as your laptop. It fits. And because it weighs so little, you'll barely notice it's there. Add the LP120 to your mobile communications toolkit, and you'll marvel at what you can accomplish.

UNPRECEDENTED EASE

Imagine. A projector that works the way you do. InFocus ProjectAbility™ makes projecting easier than it's ever been—from setup, use, options, storage, and management. Exclusively from InFocus.



InFocus®

MOBILITY WITHOUT SACRIFICE

— GOES EVERYWHERE YOU GO.

Travel light—it's the business traveler's mantra. The LP120 answers the call, weighing just 1.98 lbs/0.9 kg. And because of its revolutionary shape, it fits where others can't, so you need only one briefcase for laptop and projector.

— MAKES YOU LOOK GOOD.

At InFocus, we've gone to great lengths to reduce the anxiety of using a projector. From the interactive display and the simplified keypad, to the icon-based menus and color-coded connections, the LP120 is simple to operate every time, right out of the box. So you'll look smooth and in control of every presentation.

— BIG PERFORMANCE, SMALL PACKAGE.

The LP120 delivers superior brightness in almost any environment, whisper-quiet operation, and outstanding image control, all in a sleek, manageable shape. So you get the benefits of mobility without sacrificing the functionality of a full-size projector.

— READY, SET, WIRELESS.

Since the LP120 is wireless-ready, it's easy to add wireless capability to the projector. Now you're ready for any projection environment, and you're more efficient.

TAKE YOUR PRESENTATION PLACES.

The LP120 is a revolutionary projector that redefines mobile projection. Weighing in at just 1.98 lbs/0.9 kg, the ultra-powerful LP120 packs full functionality into its space-age magnesium frame.



Grab one lightweight bag and go.



Goodbye, bulky. Hello, streamlined.



The LP120 loves to travel.



The freedom to collaborate on your terms.

— SLEEK, REVOLUTIONARY FORM.

Who said projectors have to be square? The LP120's long, thin form factor means you can tuck it in places a regular "mobile" projector would never fit—like in the same small briefcase with your laptop. No more carting multiple, bulky bags through airports.

— FULL FUNCTIONALITY, FULL MOBILITY.

Inside the LP120's eye-catching form is a projection powerhouse. At 1100 lumens, the LP120 delivers outstanding brightness comparable to a projector twice its size, even in a well-lit room. So no matter what environment you want to project in, you're ready to project.

Instant signal lock-on time offers bright, vivid images without hesitation. The optical zoom lens lets you adjust the picture without moving the projector. Native XGA delivers outstanding resolution, so your message is always clear.

Despite its small size and robust functionality, the LP120 operates at 37dB, quiet enough for even the smallest meeting spaces. So you won't have to compete with your own projector to be heard.

And because it is wireless-ready (just add InFocus LiteShow®, and you're ready to project wirelessly), you can share your data without plugging in cables. Plus, dual infrared sensors on the projector give you 360 degrees of control from anywhere in the room so you don't have to resort to yoga-like contortions for the remote and projector to connect.


— SMOOTH OPERATOR.

Like all InFocus projectors, the LP120 is designed to be easy to set up and operate. ProjectAbility ease begins with a simple keypad that delivers one-touch operation, so there's no need to refer to the user manual for common tasks. The 7-language interactive display gives immediate feedback on projector status at all times. No more wondering whether the projector is even on. It's communicating with you every step of the way. An intuitive 12-language, icon-based menu lets you simply scroll and select.

— PROJECTABILITY = EASE.

Although its sleek shape looks futuristic, operating the LP120 is no mystery. Just match the color-coded connectors to the same-color tie attached to each cable. Choose the exact function you need with just one touch at the top of the projector. It's all clearly labeled. Incorporating years of usability research, the ease-of-use philosophy we call ProjectAbility makes meetings shorter and presentations easier. Most of all, it gives users confidence and eliminates many distractions, so everyone can concentrate on the business at hand.

EASE, FUNCTIONALITY, MOBILITY.



INTUITIVE, FAST

- 1 The 7-language interactive display means no more guesswork on operating status.
- 2 Optical zoom lets you change the size of the image being projected without moving the projector.
- 3 Simple focus control lets you make your image as clear and sharp as possible.
- 4 Color-coded connections and coordinating cable ties enable you to connect the projector in seconds.
- 5 Dual infrared sensors let you operate the projector easily from anywhere in the room.
- 6 One-touch operation keypad is right on the top of the machine.
- 7 M1-DA connector allows for wireless capability.



THE INFOCUS COMMITMENT

Experience for yourself why InFocus Corporation is the worldwide leader in digital projection. Our dedication to quality and customer satisfaction is reflected in service options that will bring you a greater return on your investment. InFocus projectors come with a standard 2-year limited factory warranty, including parts and labor, and a 90-day lamp replacement warranty. Our customer support offers you premium service and convenience, whatever your needs.

For service program details in your region, please visit www.infocus.com/service/service_offerings

OPTIONAL ACCESSORIES

| | |
|-----------------|----------------------------------------|
| CA-ATA-016 | ATA Shipping Case |
| CA-C220 | Easy Carry Case |
| SP-DVI-D | Digital Computer Cable |
| A650 | 50"/127 cm Diagonal Screen (portable) |
| HW-DLXSCRN | 60"/152 cm Diagonal Screen (portable) |
| HW-WALLSCR84 | 84"/213 cm Diagonal Wall/Ceil Mnt |
| SP-STND | Portable Projector Stand |
| SP-LAMP-013 | Replacement Lamp Module |
| HW-RF-POCKTPNT | Mind Path® RF PocketPoint Remote |
| HW-CONDUCTOR + | Conductor + Remote |
| LP-LITESHOW | Wireless Connectivity Module |
| LP-LITESHOWCARD | Wireless Connectivity Module + PC Card |
| HW-INTEGRATOR | Integrator Remote |

Ships Standard With

- **Wireless Interlink® Presenter™ Remote Control (including batteries)**
- **3 m/10 ft Power Cord (national and regional variants)**
- **2 m/6.8 ft M1-A Analog Computer Cable with USB**
- **1.8 m/6 ft S-Video Cable**
- **S-Video to RCA Video Input Adapter**
- **1.8 m/6 ft Audio Cable**
- **Audio Cable Adapter**
- **Projection Lamp Module**
- **Color-Coded Cable Ties, 3 set**
- **SCART Adapter (Europe only)**
- **Protective Sleeve**
- **Accessory Pouch**
- **Projector System CD (includes multilanguage user's guide, ProjectorManager™ control software)**
- **Quick Setup Guide**
- **Tethered Lens Cap**
- **User Guide (printed version)**
- **Safety Instructions/Warnings**

TECHNICAL SPECIFICATIONS

| | |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Native Resolution | • XGA 1024 x 768 |
| Display Technology | • DLP™ by Texas Instruments®: 0.7" XGA 12° DMD DDR |
| Input Sources | • Computer (M1-DA), video (S-Video; RCA via standard S-Video to RCA input adapter), audio (3.5 mm mini jack) |
| Output Sources | • NA |
| Computer Compatibility | • SXGA, XGA, SVGA, VGA, Macintosh® |
| Video Compatibility | • Full NTSC, PAL, SECAM |
| Brightness | • 1100 max ANSI lumens |
| Contrast Ratio | • 2000:1 full on/full off |
| Number of Colors | • 16.7 million |
| H-Synch Range | • 15 – 100 kHz |
| V-Synch Range | • 43.5 – 130 Hz |
| Pixel Clock | • Digital 112 MHz (max); analog 135 MHz (max) |
| Digital Keystone Correction | • ±7.5° vertical correction; data/video |
| Image Offset | • 112% |
| Projection Lens | • Zoom lens with manual focus and manual zoom adjust |
| Throw Ratio | • 1.8 – 2.1:1 (typical) |
| Minimum Projection Distance | • 1.5 m (maximum distance 5.0 m) |
| Aspect Ratio | • 4:3 |
| Image Size (diagonal) | • 2.9' to greater than 11.5'/0.9 m to greater than 3.5 m |
| Projection Methods | • Front and rear |
| Audio | • 1-watt speaker |
| Control | • Projector keypad; IR remote control; wired control through USB |
| Lamp* | • 120W UHP / 2000 (typical) |
| Dimensions | • 2.05" (H) x 3.69" (L) x 9.75" (W) 5.21 cm (H) x 9.37 cm (L) x 24.77 cm (W) |
| Weight | • 1.98 lbs/0.9 kg |
| Power Consumption | • 150 watts |
| Power Supply | • 100V – 240V at 50 – 60 Hz |
| Operating Temperature | • 5° – 40° C at sea level (0' – 10,000'), 41° – 104° F |
| Menu Languages | • English, Norwegian, Spanish, Italian, Portuguese, German, French, Chinese (simplified), Chinese (traditional), Japanese, Russian, Korean |
| Audible Noise | • 37dB |
| Approvals | • FCC A (US/Canada), S-JQA (Japan), PSE (Japan), CCC (China), IRAM (Argentina), GOST (Russia), UL & cUL (US/Canada), TUV GS (Germany), NOM (Mexico), MIC (Korea), C-Tick (Australia) |
| Lamp Warranty | • 90 days or 500 hours, whichever comes first |
| Product Warranty | • 2 years: parts and labor |
| Accessory Warranty | • 1 year |

*Actual lamp life may vary based on the ambient environment. Conditions that may affect lamp life include temperature, altitude, or rapidly switching the projector on and off.

Contact InFocus or your dealer today.

www.infocus.com

InFocus Corporate Headquarters:
27700B SW Parkway Avenue • Wilsonville, Oregon 97070-9215, USA
Phone: 503-685-8888 • 1-800-294-6400 • Fax: 503-685-8887

In Europe: InFocus International BV
Strawinskylaan 585 • 1077 XX Amsterdam • The Netherlands
Phone: (31) 20 5792000 • Fax: (31) 20 5792999
Freephone: 008000 4636287 (008000 INFOCUS)

In Asia: InFocus ASA
238A Thomson Road • #18-01/04 Novena Square
Singapore 307684 • Phone: (65) 6334-9005 • Fax: (65) 6333-4525

InFocus, LP and LiteShow are registered trademarks and ProjectAbility is a trademark of InFocus Corporation. All other trademarks are used with permission or are for identification purposes only and are the property of their respective companies.
©2003 InFocus Corporation. All rights reserved. 805-0765-00. LP120_DS.qxd. 05/2003