

## EW533ST DLP® Projector

# Project in the smallest of spaces



Widescreen 64" image from just 1m away



Widescreen presentations and HD entertainment



3000:1 contrast ratio for sharp, detailed presentations and graphics



Bright projection - 2500 ANSI Lumens



Digital and Analogue connectivity includes: HDMI, VGA



Cable free presentations with wireless convenience



Low ownership costs - up to 5000hrs lamp life



10W speaker - all-in-one multimedia set-up



Portable - carry bag provided for easy transportation



Environmentally friendly design <1W standby mode



Optoma EW533ST filter-free design - virtually no maintenance












#### Widescreen 64" image from just 1m away


Project in the smallest of rooms with the widescreen, HD Ready EW533ST. Installed or on the move, the versatile EW533ST incorporates extensive connectivity and powerful 10W stereo speakers. At 2500L, the EW533ST is easy to use and ensures crystal clear, bright projection for the best business and education presentations.

The environmentally friendly EW533ST has energy saving features including <1W standby mode and auto power off saving you both time and money. Long lamp life of 5000hrs combined with our unique Optoma Colour and Imager guarantees ensure hassle-free, long-lasting projection.

#### **SHORT THROW LENS**

The EW533ST can project an impressive 64-inch diagonal image from just 1m from the screen. Stand-alone or ceiling mounted the EW533ST eliminates shadows on the screen and allows you to present with ease.





#### **WIRELESS PRESENTING (OPTIONAL EXTRA)**

Making presentations couldn't be easier using the optional wireless features of the EW533ST. Cable free presenting saves time and facilitates effortless switching between presentations from different sources. Simply download the software and start presenting instantly. WPS-Dongle, lets you connect and display presentation material wirelessly.



#### TRUE WXGA RESOLUTION

The EW533ST is the perfect companion for widescreen laptops. Your presentations will appear as sharp and detailed as they do on your widescreen laptop in WXGA (1280  $\times$  800). WXGA resolution gives 30% more pixels than XGA.





XGΔ

**WXGA** 

#### **TRUE HDMI**

Project crystal clear images using the latest HDMI v1.3 input. Hassle-free projection from a widescreen computer/HD source with a single HDMI cable – no need for separate audio cables.

#### CONTROL

The extensive RS232 command set makes it simple and easy to control the EW533ST with any control system.



AMX Compatibility – Dynamic Discovery Protocol is incorporated into the EW533ST. This feature allows for easy installation with AMX control systems.


#### **EXTENSIVE CONNECTIVITY**

This native WXGA projector accepts a wide variety of computer and video input signals.

Connectivity includes: HDMI, VGA-Wireless/ Component, S-Video, Composite and RS232.

#### **CLEAR, FOCUSED IMAGES**

DarkChip3™ technology from Texas Instruments produces a stunning 3000:1 contrast ratio for pin sharp graphics and crystal clear text. Crisper whites, ultra-rich blacks makes images come alive and text easier to read - ideal for business and education presentations.



1000:1 contrast ratio

3000:1 contrast ratio

‡Simulated Image

#### **AMAZING COLOURS**

The EW533ST incorporates BrilliantColor™ technology to produce stunningly bright images with perfectly balanced life-like colours.

Preset display modes allow you to achieve a perfect image on a variety of surfaces including screens and interactive whiteboards.

#### **COLOUR AND IMAGER GUARANTEE**

Bright colours and fantastic image quality are guaranteed for an amazing 5 years after purchase - giving piece of mind that the technology inside the Optoma EW533ST projector won't fade or degrade.







### VIRTUALLY MAINTENANCE FREE = LOWER COST OF OWNERSHIP

EW533ST provides lower cost of ownership, longer life and improved reliability. The filter-free projector design does not require regular filter cleaning or filter replacement, saving you time and money.



#### **ENVIROMENTALLY FRIENDLY**

The EW533ST incorporates energy saving features to conserve power and extend the lamp life:



To achieve the maximum 5000hrs\*\* lamp life time the projector should be operating in STD mode and the shut down timer should be enabled to automatically switch off the projector if it is accidentally left on when no longer required. Enabling the <1W Standby mode will ensure the minimum energy consumption when the projector is not being used.



It takes less than 10 seconds for the projector to power up and shutdown, saving both time and energy.

#### **FEATURES**

- 6 preset display modes
- Security bar and password protection for added security
- Easy to use remote with direct source selecting

#### **EW533ST SPECIFICATIONS**

Native Resolution	WXGA 1280 x 800				
Display Technology	Single 0.65" WXGA DC3 DMD chip DLP® Technology by				
Display reclinology	Texas Instruments				
Brightness - BRIGHT mode	2500 ANSI Lumens				
Contrast	3000:1				
Noise Level - STD mode	27dB				
Lamp Life**	5000/3000 (STD/BRIGHT mode)				
Projections Lens	F Number 2.55				
	Focus Length 10.19mm				
	Focus / Zoom Type Manual Focus / 2.0x Digital Zoom				
	Throw Ratio 0.72:1 (Projection Distance: Image Width)				
Projection Distance	0.5 - 5m				
Image Size	0.82 - 8.19m (32.24" - 322.41") Diagonal 16:10				
Offset	112.4%				
Weight / Dimensions (W x D x H)	2.9 kg / 324 x 234 x 97mm				
Lamp Life*	5000/3000 (STD/BRIGHT mode)				
Remote Control	Full function remote with direct source selecting				
INPUTS	HDMI (HDCP) - audio supported				
	15 Pin D-Sub VGA (Wireless/Component via adaptor)				
	S-Video 4 Pin Mini Din				
	Composite RCA				
	Stereo RCA-Audio video inputs				
CONTROL	RS232 - 9 Pin D-sub				
OUTPUT	Stereo Audio Mini Jack				
Audio	10W Speaker				
Aspect Ratio	16:10 Native, 16:9/4:3 Compatible				
Keystone Correction	± 15° Vertical				
On Screen Display	17 Languages: English, German, French, Italian, Spanish,				
	Portuguese, Polish, Dutch, Russian, Finnish, Swedish, Greek,				
	Norwegian/Danish, Hungarian, Czech, Turkish & Arabic				
Compatible Resolutions	UXGA, SXGA, WXGA, HD, XGA, SVGA				
Video Compatibility	PAL SECAM 576i/p, NTSC 480i/p, HD 720p/1080i/1080p				
Uniformity	85%				
Displayable Colours	1.07 Billion				
Horizontal Scan Rate	15 - 91kHz				
Vertical Scan Rate	25 - 85Hz				
Power Supply	100 - 240V, 50 - 60Hz				
Power Consumption	230W BRIGHT mode < 1W Standby mode				
Operating Conditions	212W STD mode < 1W Standby mode"				
Operating Continuous	Operating: 5 - 40°C, 85% Humidity (Max),				
Coourity	3000m Altitude (Max) Security Bar, Kensington Lock Port, Password Protection				
Security Standard Accessories					
Standard Accessories	Soft Carry Bag, Lens Cover, AC Power Cord, VGA Cable,				
	Full Function Remote, Batteries x 2, Quick Start Guide, CD User Manual, Warranty Card, WEEE Card				
Optional Accessories	Wireless Dongle, SCART & Component adapter,				
טאַנוטוומו אַנינבסטטוופט	Ceiling Mount				
RoHS	Compliant				
Lamp Warranty	6 months or 1000 hours - whichever comes sooner				
Warranty	Warranty may vary by country.				
wanti	Please see www.optomaeurope.com or ask your local				
	supplier for details				
Colour Guarantee*	5 Years				
Imager Guarantee***	5 Years				
3D Support	120Hz frame sequential 3D for resolutions up to 720p.				
	60Hz field sequential 3D for resolutions up to 480i				
3D Viewing	Requires Optoma DLP® Link™ active shutter glasses				
	- sold separately				
3D Compatibility	The 3D features of the EW533ST can only be used				
	with compatible 3D content and do not support 3D TV				
	broadcast systems, including the 3D SKY service in the				
	UK, or 3D Blu-ray. Support for these applications may				
	be added in future using additional hardware				
	20 dadosataro donig additional naturato				

#### **EASY TO USE REMOTE CONTROL**

#### **EW533ST Remote Control**

- 1 Vertical Keystone Correction
- 2 Volume Control
- 3 Brightness Adjustment
- 4 AV Mute
- 5 Direct Input Source Selection

#### **EW533ST Connections**

- 6 HDMI (audio supported)
- 7 VGA In Wireless & Component
- 8 S-Video
- 9 Composite Video
- 10 Audio Out
- 11 RS232
- 12 Audio In
- **13** Kensington™ Lock
- 14 Security Bar



#### **Exceptional Connectivity/ Multiple Terminals**



Easy to use remote with buttons to change the input sources



N533ST Projection Distance 0.5 - 5.0m (16:10 Aspect Ratio)						
Projection Distance (m)	Horizontal Image Size (m)	Vertical Image Size (m)	Diagonal Image Size (m)	Diagonal Image Size (inch)	Image Offset (m)	
0.50	0.69	0.43	0.82	32.24	0.05	
0.70	0.97	0.61	1.15	45.14	0.08	
0.80	1.10	0.69	1.30	51.26	0.09	
0.90	1.25	0.78	1.47	58.03	0.10	
1.00	1.39	0.87	1.64	64.48	0.11	
1.50	2.08	1.30	2.46	96.72	0.16	
2.00	2.78	1.74	3.28	128.96	0.22	
2.50	3.47	2.17	4.09	161.21	0.27	
3.00	4.17	2.60	4.91	193.45	0.32	
3.50	4.86	3.04	5.73	225.69	0.38	
4.00	5.56	3.47	6.55	257.93	0.43	
4.50	6.25	3.91	7.37	290.17	0.48	
5.00	6.94	4.34	8.19	322.41	0.54	

For guide purposes only

EW533ST is capable of 4:3 and 16:9 aspect ratio projection. When projecting a 4:3/16:9 image the image sizes, screen height and offset information will differ from the above.

#### Optoma Europe Ltd.

42 Caxton Way, Watford Business Park, Watford, Hertfordshire, UK. WD18 8QZ





