



HD600X-LV

The brighter the better...

Prepare yourself for life-size 3D games and movies! Designed for use with the latest HD Consoles and 3D Gaming PCs, the Optoma HD600X-LV home entertainment projector delivers this spectacular 3D experience right into your own home.


All this in such a compact size, combined with a stylish carry bag, means the HD600X-LV is also your perfect partner for sharing this mind-blowing experience with everyone, anywhere, anytime!



■ HD600X-LV

Expand your 3D Horizons...

The HD600X-LV is ideally partnered with the world's first 3D projector adapter; the Optoma 3D-XL. Enabling the HD600X-LV to display 3D broadcast signals; Sky 3D in the UK, Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360, the 3D-XL is what you need to be…truly 3D Ready!



HD600X-LV

HD600X-LV Specifications Highlights				
HD Ready	720p (1280 x 800 Native)			
ANSI Contrast	300:1 ANSI			
Dynamic Contrast	3000:1			
Audible Noise	28dB Standard mode			
Brightness ²	2500 ANSI Lumens			
Lamp Life ³ (ECO)	4000 Hours			
Connections	HDMI, VGA-IN (Component\PC\SCART), S-video, Composite, 3.5mm Audio IN / OUT, VGA-OUT, RS232 (3-pin Mini DIN)			
Video Compatibility	1080p24/50/60, 1080i50/60 720p50/60/120, PAL, NTSC, SECAM			
Speaker	2W			
Dimensions	286 x 192 x 84mm			
Weight	2.3 kg			
Accessories	Carry Case, VGA-Component Cable, Remote, Batteries x 2, User manual CD, Power Cable, Quick Start Guide, Lens Cap			
3D Support	120Hz frame sequential 3D for resolutions up to 720p. 60Hz field sequential 3D for resolutions up to 480i			
3D Viewing (3DTV, Playstation®3 Xbox 360, Blu-ray 3D™)	Requires Optoma 3D-XL & ZD201 Glasses – sold separately			
Warranty	Warranty may vary by country. Please see or ask your local supplier for details			
EAN Number	5060059045952			

For full specifications please visit the website at: www.optoma.co.uk



Remote

- 1 Power On/Off
- 2 Change Input
- 3 Re-sync
- 4 Keystone
- 5 Volume
- 6 Direct source selection

Connections

- 7 VGA In SCART & Component
- 8 VGA Out
- 9 HDMI (audio supported)
- 10 S-Video
- 11 Composite Video
- 12 RS232 3 Pin
- 13 Audio In
- 14 Audio Out

6 7 8 9 6	0 10 10 10 10 10 10 10 10 10 10 10 10 10

Projection Distance (m)	Min Diagonal Image Size (m)	Max Diagonal Image Size (m)	Max Diagonal Image Size (inch)
3.00	2.02	2.22	87.43
4.00	2.70	2.96	116.57
5.00	3.37	3.70	145.71
6.00	4.05	4.44	174.86
7.00	4.72	5.18	204.00
8.00	5.40	5.92	233.14

16:9 image - For Guidance purposes only



Optoma Europe Limited, 42 Caxton Way, Watford Business Park, Watford, Hertfordshire. WD18 8QZ Tel: +44 (0) 1923 691800 Fax: +44 (0) 1923 691888

www.optoma.eu





The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. Support for 3D TV broadcast systems, (SKY in the UK) Blu-ray 3DTM and 3D games from the Sony® PS3 or Microsoft® Xbox 360 will require the Optoma 3D-XL that is available separately.

^{† &}quot;ANSI Contrast" is a recognised contrast measurement technique as described in the standard IEC 61947-1