## **Business Projector**

















The SA560 is an Ultra Short Throw (UST) business projector. It uses a laser technology that is just as reliable and long-lasting as in an LG television. With useful functions and an easy control the SA560 suits well for educational purposes. Especially seminar and conference rooms can be equipped with the SA560. Through the Ultra Short Throw optic the projector can be installed very close to the screen. Presenter and lecturer can avoid the light beam of the projector during the presentation. Digital copies of your favourite films via Intel WiDi can be streamed directly from your notebook. The SA560 with a contrast ratio of 35,000:1 combined with the laser technology creates clear images and sharp outlines.

- Professional Ultra Short Throw Business projector for fixed installation
- Native WXGA-resolution (1280 x 800)
- Laser light source of 20,000 hours in ECO mode
- High brightness of 2,800 ANSI lumen
- Projection distance 80" @ 52cm
- Intel WiDi technology for wireless image and audio streaming

- 35,000:1 contrast
- HDMI connection
- Lan connection (RJ45)
- Low noise emission of < 29 dBA in ECO mode
- 7 W stereo speakers
- Integrated FileViewer for images, videos and files
- Mic input



## **Business Projector**

**SA560** 

Picture	
Projection diagonal	178cm - 279cm(70"-110")
Image mode	4:3, 16:9
Format switching	4:3 to 16:9
Native resolution	1280x800
Max. resolution	1280x800
Brightness 2D / 3D (ANSI lumen)	2,800 lumen / -
Contrast ratio	35,000:1
Colour wheel	Yes
Focus	Manual
Projection distance	80" @ 52cm
Throw ratio	0.3
Video input signals	NTSC-M, NTSC4.43, PAL, PAL-M, PAL-N, SECAM, 1080i/p, 720p, 576i/p, 480i/p
Keystone correction	horizontal +/-10°, vertical +/-50°
Connections	
Video PC input	HDMI, USB Type A, 15-Pin D-Sub
Video PC output	15 Dis D Coll
·	15-Pin D-Sub
C-Video input (Chinch)	Yes
C-Video input (Chinch)	Yes
C-Video input (Chinch) Components input	Yes Yes
C-Video input (Chinch)  Components input  Control - Service	Yes Yes Yes
C-Video input (Chinch)  Components input  Control - Service  Audio input	Yes Yes Yes Yes
C-Video input (Chinch)  Components input  Control - Service  Audio input  Audio output	Yes Yes Yes Yes Yes
C-Video input (Chinch)  Components input  Control - Service  Audio input  Audio output  Network RJ45	Yes Yes Yes Yes Yes Yes Yes
C-Video input (Chinch)  Components input  Control - Service  Audio input  Audio output  Network RJ45	Yes Yes Yes Yes Yes Yes Yes
C-Video input (Chinch)  Components input  Control - Service  Audio input  Audio output  Network RJ45  Power cable / Kensington	Yes Yes Yes Yes Yes Yes Yes



## **Business Projector**

**SA560** 

General data	
Supply voltage (Vac)	100 - 240 VAC
Supply frequency (Hz)	50 - 60 Hz
Power consumption in Watts (maximum ON/Standby/OFF)	< 300 W / < 0.5 W / 0
Dimensions w/o stand (W $\times$ H $\times$ D)	463 x 416 x 141
Colour	White
Net weight	11 kg
Accessories	
Delivery contents	Power cable, VGA cable, operating instructions on CD, IR remote control incl. batteries
Special features	WiDi, Brilliant Color, int. stereo speakers 2 x 7 W, int. power supply, LAN
Service	
Guarantee	36 months pick-up and return
EAN	
EAN	8806084099907

