EB-G6770WU

DATASHEET



























Deliver sharper, clearer presentations with this powerful 6,000-lumen WUXGA installation projector with 3LCD technology and a range of innovative features

The EB-G6770WU is a professional installation projector ideal for corporate environments, education applications, rental markets and digital signage. Important presentations and sales campaigns are delivered with rich, vivid colours - even in daylight thanks to Epson's 3LCD technology and equally high White and Colour Light Output. The projector can even be placed in difficult positions thanks to a number of innovative installation features.

Ensure superb quality and the best possible delivery of presentations with the EB-G6770WU. This This 6,000-lumen projector includes Epson's 3LCD technology and high brightness to display images with more accurate colours and clearer detail. A new enhanced standard lens helps reduce flare and improve focus.

Set-up and installation is simple and straightforward. A wide lens shift allows easy placement of the projector, even in difficult positions, without distorting or blurring the image. In addition, a powerful zoom lens, as well as manual vertical keystone correction and centred lens, make it even easier to set-up in various positions. The projector can also be rotated vertically by 360 degrees allowing images to be projected directly onto the ceiling and the floor¹.



KEY FEATURES

- Ultra-bright output
 Equally high 6,000lm White and Colour
 Light Output
- High-quality image
 3LCD technology, WCLO, colour uniformity, enhanced standard lens
- Flexible installation
 Wide lens shift, manual vertical keystone correction
- Easy to set up HDBaseT and HDMI connectivity. Compatible with Epson EB-G5 series lenses²







PRODUCT SPECIFICATIONS

TECHNOLOGY

Projection System 3LCD Technology, RGB liquid crystal shutter

LCD Panel 0.76 inch with C2 Fine

IMAGE

Colour Light Output 6,000 lumen-4,200 lumen (economy)
White Light Output 6,000 lumen - 4,200 lumen (economy)

Resolution WUXGA, 1920 x 1200, 16:10

Contrast Ratio 5,000 : 1

Lamp 380 W, 2,000 h durability, 4,000 h durability (economy mode)

Keystone Correction Manual vertical: \pm 30 °, Manual horizontal \pm 30 °

High Definition Full HD
Aspect Ratio 16:10
Colour Processing 10 Bits

OPTICAL

Projection Ratio 1.26 - 2.30:1

Zoom Manual, Factor: 1 - 1.8
Projection Size 50 inches - 300 inches

Projection Distance Wide 1.4 m - 8.4 m (300 inch screen)
Projection Distance Tele 2.5 m - 15 m (300 inch screen)

Projection Lens F Number 1.65 - 2.55

Focal Distance 21.28 mm - 37.94 mm

Focus Manual
Projection Lens Zoom Ratio 1 - 1.8:1

CONNECTIVITY

Interfaces HDBaseT, Wireless LAN IEEE 802.11b/g/n (optional), BNC in, Ethernet interface (100 Base-TX /

10 Base-T), Composite in, Stereo mini jack audio in (4x), Stereo mini jack audio out, VGA out,

S-Video in, Display Port, HDMI in, RS-232C, VGA in, Cinch audio in

ADVANCED FEATURES

Security Kensington lock, Security bar, Password lock

Features AV Mute Slide, Direct Power on/off, Frame interpolation, Freeze image, Instant on/off, Network

administration, Network image transmission, Quick Corner, Six axis color control, Split-Screen-

Function

Video Colour Modes Dynamic, Photo, Presentation, sRGB, Theatre, DICOM SIM

GENERAL

Energy Use 542 W, 405 W (economy), 0.41 W (standby)
Product dimensions 505 x 406 x 171 mm (Width x Depth x Height)

Product weight 9.9 kg

Noise Level Normal: 39 dB (A) - Economy: 31 dB (A)

Included Software EasyMP Monitor, EasyMP Multi PC Projection, EasyMP Network Projection

Loudspeaker 10 W

OTHER

Warranty 36 months On site service or 15,000 h, Lamp: 36 months or 1,000 h

Optional warranty extension available

EB-G6770WU

WHAT'S IN THE BOX

- Remote control incl. batteries
- User manual
- Power cable
- Lens cap
- HDMI Cable Clamp
- Computer cable
- Cable cover



OPTIONAL ACCESSORIES

• 3D Polarizer - ELPPL01

V12H618A01

 Wireless LAN Adapter (b/g/n) - ELPAP07 V12H418P13

 Quick Wireless Connect USB key - ELPAP09 V12H005M09

 Ceiling Mount (White) - ELPMB22 V12H003B22

Lamp - ELPLP76V13H010L76

Air Filter - ELPAF43V13H134A43

OPTIONAL LENSES

 Lens (ST Off Axis) - ELPLU01 V12H004U01

Lens (Rear Wide) - ELPLR03 V12H004R03

 Lens (Middle Throw 2) - ELPLM05 V12H004M05

 Lens (Middle Throw 1) - ELPLM04 V12H004M04

Lens (Long Throw) - ELPLL06 V12H004L06


LOGISTICS INFORMATION

SKU	V11H699041
EAN code	8715946548630
Dimensions Single Carton	762 x 432 x 324 mm
Carton Weight	12.9 Kg
Multiple Order Quantity	1 Units
Country of Origin	China
Pallet Size Euro	7 Units
Pallet Size Block	7 Units



For more information please contact:

Telephone: 01952 607111 (UK)+ 01 436 7742 (Republic of Ireland) E-mail: enquiries@epson.co.uk Chat: etalk.epson-europe.com Fax: 0871 222 6740 + Local call rate. Web: www.epson.co.uk www.epson.ie





EB-G6770WU

