

EB-G6970WU



Deliver sharper, clearer presentations with this powerful 6,000-lumen WUXGA installation projector with 3LCD technology and a range of innovative features

The EB-G6970WU is a professional installation projector ideal for corporate environments, education applications, rental markets and digital signage. Important presentations and sales campaigns are delivered with rich, vivid colours - even in daylight, thanks to Epson's 3LCD technology and equally high White and Colour Light Output. The projector can even be placed in difficult positions thanks to a number of innovative installation features.


Ensure superb quality and the best possible delivery of presentations with the EB-G6970WU. This 6,000-lumen projector includes Epson's 3LCD technology and high brightness to display images with more accurate colours and clearer detail. A new enhanced standard lens helps reduce flare and improve focus.

Set-up and installation is simple and straightforward. Curved surface and corner wall correction and a wide lens shift means images can be projected onto difficult and uneven surface areas without distortion. In addition, a powerful zoom lens, as well as manual vertical keystone correction and centred lens, make it even easier to set-up in various positions. The projector can also be rotated vertically by 360 degrees allowing images to be projected directly onto the ceiling and the floor¹.

The EB-G6970WU also includes a number of innovative features. Edge-blending enables a number of projectors to work together seamlessly to project a large, widescreen image. Five devices can also be connected to the projector through the HD-BaseT input using a 100m cable. With the HDMI input, users can connect to a variety of high definition devices to deliver high-quality content effortlessly. Frame Interpolation ensures video footage is sharper and images are clearer with smoother, more fluid screen movement.

For simpler integration with existing equipment, this model is also compatible with the Epson EB-G5 series lenses².

DATASHEET



KEY FEATURES

- **Ultra-bright output**
Equally high 6,000lm White and Colour Light Output
- **High-quality image**
3LCD technology, WCLO, colour uniformity, enhanced standard lens
- **Flexible installation**
Wide lens shift, curved surface and corner wall correction
- **Easy to set up**
HDBaseT and HDMI connectivity.
Compatible with Epson EB-G5 series lenses²

EPSON®
EXCEED YOUR VISION



EPSON
WORLD LEADER
IN PROJECTORS

Source: Futuresource Consulting Ltd.

PRODUCT SPECIFICATIONS

TECHNOLOGY	
Projection System	3LCD Technology, RGB liquid crystal shutter
LCD Panel	0.76 inch with C2 Fine
IMAGE	
Colour Light Output	6,000 lumen-4,200 lumen (economy)
White Light Output	6,000 lumen - 4,200 lumen (economy)
Resolution	WUXGA, 1920 x 1200, 16:10
Contrast Ratio	5,000 : 1
Lamp	380 W, 2,000 h durability, 4,000 h durability (economy mode)
Keystone Correction	Manual vertical: $\pm 30^\circ$, Manual horizontal $\pm 30^\circ$
High Definition	Full HD
Aspect Ratio	16:10
Colour Processing	10 Bits
2D Vertical Refresh Rate	50 Hz - 85 Hz
OPTICAL	
Projection Ratio	1.26 - 2.30:1
Zoom	Manual, Factor: 1 - 1.8
Projection Size	50 inches - 300 inches
Projection Distance Wide	1.4 m - 8.4 m (50 inch screen)
Projection Distance Tele	2.5 m - 15 m (50 inch screen)
Projection Lens F Number	1.65 - 2.55
Focal Distance	21.28 mm - 37.94 mm
Focus	Manual
Projection Lens Zoom Ratio	1 - 1.8 : 1
CONNECTIVITY	
Interfaces	Cinch audio out, Stereo mini jack audio in (4x), Stereo mini jack audio out, RGB out, S-Video in, BNC in, Composite in, Display Port, HDMI in, VGA out, VGA in, HDBaseT, HD-SDI, Ethernet interface (100 Base-TX / 10 Base-T), RS-232C
ADVANCED FEATURES	
Security	Kensington lock, Security bar, Password lock
Features	Direct Power on/off, Epson Cinema Filter, Frame interpolation, Freeze image, Instant on/off, Mute key, Network administration, Network image transmission, Quick Corner, Split-Screen-Function, Super resolution
Video Colour Modes	Dynamic, Natural, Photo, Presentation, sRGB, DICOM SIM, Customized
GENERAL	
Energy Use	542 W, 405 W (economy), 0.41 W (standby)
Product dimensions	505 x 406 x 171 mm (Width x Depth x Height)
Product weight	9.7 kg
Noise Level	Normal: 39 dB (A) - Economy: 31 dB (A)
Included Software	EasyMP Monitor, EasyMP Multi PC Projection, EasyMP Network Projection
OTHER	
Warranty	36 months On site service or 15,000 h, Lamp: 36 months or 1,000 h Optional warranty extension available

EB-G6970WU

WHAT'S IN THE BOX

- Power cable
- CD Manual
- Cable cover
- Cable hook
- Computer cable
- Remote control incl. batteries

OPTIONAL ACCESSORIES

- 3D Polarizer - ELPPL01
V12H618A01
- HDBaseT Transmitter - ELPHD01
V12H547041
- Air Filter - ELPAF43
V13H134A43
- Lamp - ELPLP76
V13H010L76
- Ceiling Mount (White) - ELPMB22
V12H003B22

EB-G6970WU

OPTIONAL LENSES

- Lens (ST Off Axis) - ELPLU01
V12H004U01
- Lens (Long Throw) - ELPLL06
V12H004L06
- Lens (Middle Throw 2) - ELPLM05
V12H004M05
- Lens (Middle Throw 1) - ELPLM04
V12H004M04
- Lens (Rear Wide) - ELPLR03
V12H004R03

LOGISTICS INFORMATION

SKU	V11H697041
EAN code	8715946548678
Dimensions Single Carton	762 x 432 x 324 mm
Carton Weight	12.9 Kg
Multiple Order Quantity	1 Units
Country of Origin	China
Pallet Size Euro	7 Units
Pallet Size Block	7 Units



For more information please contact:

Telephone: 01952 607111 (UK)+
01 436 7742 (Republic of Ireland)
E-mail: enquiries@epson.co.uk
Chat: etalk.epson-europe.com
Fax: 0871 222 6740
+ Local call rate.

Web: www.epson.co.uk
www.epson.ie

1. - Requires additional ceiling mount
2. - Except ELPLS05 lens

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.
Product information is subject to change without prior notice.

EPSON[®]