

Impressive Audiovisual Performance with Multimedia for Education

PJD5353LS



3,200 Lumens XGA Short Throw LightStream Projector

The ViewSonic LightStream™ PJD5353LS is designed with elegant style and audiovisual performance. A short throw lens with a 0.61 throw ratio offers large projection images for smaller rooms. This white projector makes a big statement with its elegant curves and light beam shape. Its thoughtful design, which includes a tactile keypad, instructional icons, and non-slip foot pads, also presents an intuitive and user-friendly interface. With SuperColor™ 6-Segment Color Wheel maximizes color saturation and brightness for true-to-life image projection. The LightStream Projector PJD5353LS is also powered by SonicExpert™ technology; the built-in speaker surpasses competing products in sound clarity and volume performance, as well as comfort.

The LightStream Projector PJD5353LS boasts HDMI connectivity and native XGA resolution. It provides digital high definition devices, supporting media-rich business and education presentations. The HDMI delivers single-cable transmission of image and sound signals, for a more convenient installation process.

The 3,200-lumen lamp with a 22,000:1 contrast ratio is for clearer and brighter images. From small to medium

meeting rooms or classrooms, LightStream Projector PJD5353LS delivers quality images in brightness and colors. Supporting 2 x VGA, Composite Video, S-Video, 1 x VGA output, Audio in/out, Mini USB and RS232, this projector has flexible connectivity with analog-based equipment, providing compatibility with conventional analog-based applications without adapters or converters. DynamicEco® further reduces power consumption by up to 70% and extends the lamp life by up to 10,000 hours.

SuperColor™: Best in Class Color Accuracy

ViewSonic's proprietary SuperColor™ Technology offers a wider color range than conventional DLP projectors for true-to-life color performance in any light. SuperColor™ 6-Segment Color Wheel maximizes brightness. Increased by 15% or more with the highest color saturation over others in the same class.



Short Throw

Options for large projections in small places

The short throw lens enables large images to be projected from short distances in small rooms. This means there are no distracting shadows on the projected image, and no blinding lights in the eyes of presenters.



3D Blu-ray Ready HDMI

Equipped with the latest HDMI, this projector can display 3D images directly from 3D Blu-ray players —perfect for connecting to any HDMI-enabled devices such as PCs, laptops, tablets, and media players.



Color Mode

Best view modes

Providing 5 view modes for different scenarios, users can choose one fit mode at once for best view according to the projection environment. These 5 modes are: **Brightest Mode:** for environments where extra-high brightness is required; **Dynamic Mode:** for presentations under

SonicExpert™ Technology

Clear, comfortable, and louder sound over same-class projectors

Following a groundbreaking proprietary speaker transducer and chamber re-design, LightStream projectors deliver full-range sound 20Hz – 20KHz for presentations or off-the-clock home entertainment. The compact speaker takes pride in quality sound with best-fit Sound Response Curve,

daylight environment and text content; **Standard Mode**: for matching PC or NB color; **ViewMatch Mode**: for general viewing; **Movie Mode**: for watching movies with better saturation in a dark environment.



and high efficiency of transferring electric power to sound power. They sound stronger, offering more concentration, letting sound travel farther. The 2-watt Cube speaker is powerful enough to fill you meeting room with wall-to-wall sound – an improvement over the speakers of competing products in the same class.



Easy Access Lamp

The thoughtfully designed lamp door makes lamp maintenance and replacement easy. Located at the top of the projector, there's no need to dismantle the projector, even if it's hanging from the ceiling, to access the lamp. This user-friendly design saves time and effort for maintenance personnel in businesses and schools, and is easy enough that just about anyone can do it.



Do It All with a Single Remote Control

A programmable hotkey "MyButton" can be configured to launch the most commonly used functions. A single remote control can also control up to eight projectors in the same venue. A Free vRemote app also allows users to control a projector via a mobile device.



Rich I/O Ports Diverse applications

With embedded rich I/O ports, this projector has flexible compatibility with high-definition digital video and audio, as well as conventional analog-based applications and industrial applications, such as RS-232, without adapters or converters. A variety of applications include PC, notebooks, gaming

App- The world's pioneer ProjectorExpert APP Cover all completed projector applications at once!

ProjectorExpert APP contains all ViewSonic projector product information, projection distance measurement, ViewSync wireless introduction,

consoles, conventional analog-signal players, set top boxes, IPCs, etc.



industrial application case study, news messages, etc.. It integrates all projector related information, and can be as general users' perfect assistant when choosing or installing projectors, providing users' a platform with convenient and sufficient information, as well as to become dealers, distributors, system integrators' portable tool which can check instantly.



App- ProjectorDistance App for Quick Projector Position Preview

No matter small meeting room, middle classroom, or big hall, ProjectorDistance tells you how far the projector should be placed according to the room ceiling height, projector's screen size, aspect ratio, etc. Just input several figures, the result will be displayed in the simulation scenarios with measurement. You can use finger to adjust the distance instantly.



*App - vRemote App controller with snapshot keystone and lamp life monitor

Never worry about missing a remote control again! Users can download vRemote, the virtual remote control, onto any IR-enabled smartphone. If there is no IR function on smartphone, users can also plug in USB wireless adapter (PJ-WPD-200) into projectors, then users can have their Android™ or iOS devices wirelessly stream content to a projector. In addition, vRemote can instantly help users automatically correct keystone with a simple snapshot of the projected image. Administrators can also remotely view the projectors' lamp working hours and adjust keystone.

*Only available on certain models.





Technical Specifications

Model No.: VS15875

DISPLAY	Resolution	1024!768 (XGA)
	F Stop / Focal Length mm	2.6 / EFL = 6.9
	Zoom Factor	Fixed
	Focus / Zoom	Manual / Fixed
	Keystone	+/- 40° (Vertical)
	Display Size	30"~300"
	Throw Distance	0.37 m - 3.72 m
	Throw Ratio	0.6
	Lamp Power	190W
	Lamp Life (Normal / SuperEco mode)	5000 / 10000 (hours)
	Brightness	3200 Lumens
	Contrast Ratio	22000:1
	Optical Offset	130 % +/-5%
	AUDIO	Speakers
INPUT SIGNAL	Video	NTSC M (3.58 MHz), 4.43MHz, PAL (B, D, G, H, I, M, N, 60), SECAM (B, D, G, K, K1, L), 480i and 576i, 480p and 576p, 720p, 1080i, 1080p
	Frequency (H/V)	15 ~ 100 KHz / 24 ~ 120 Hz
COMPATABILITY	PC	Support up to 1920x1080@60Hz
	Mac	Support up to 1920x1080@60Hz

CONNECTOR	VGA Input	x2
	VGA Output	x1
	Digital Input	HDMI (1.4a) x1
	Composite Input	RCA-1 x1
	S-Video Input	x1
	Component	x2 (Share with VGA input)
	Audio Input	3.5mm mini jack x1
	Audio Output	3.5mm mini jack x1
	Control	RS232
	USB	Mini type B x1 (Maintenance and mouse control)
	POWER	Voltage
Power Consumption		265 W (Max.)
Standby		<0.5W
OPERATING CONDITION	Temperature	32°~104°F / 0°~40°C
	Humidity	10~90%, Non-Condensation
NOISE LEVEL	Normal / Eco Mode	32dB / 27dB
DIMENSIONS	Physical (W×H×D)	316 x 103.7 x 228 mm
WEIGHT	Net	2.5 kg (5.51 lb)
REGULATIONS	"CECP,Mexico Energy test/Registration, EAC, UkrSEPRO/EMC DOC, UL COC, TUV-S Mark(Argentina), PSB, KCC, KC, SASO, India BIS FCC,CE EMC,UL/CUL,GS,CB,CTICK,CCC, ROHS, REACH, SVHC, WEEE, ErP "	
PACKAGE CONTENTS	Power Cord / VGA Cable / Remote Control with Batteries (Without Laser pointer) / Quick Start Guide / ViewSonic CD Wizard (With User Manual) / Lens Cover	

05242016