

HD139X

Super-sized home entertainment

- Bright vivid colours – 2800 ANSI lumens
- Full HD 1080p image quality
- Dynamic black technology - 20,000:1 contrast ratio
- Easy connectivity - 2x HDMI and MHL support and built-in 10W speaker



HD139X

Super-sized home entertainment

Created for super-sized 1080p home entertainment, the bright HD139X is perfect for watching TV shows, sports and movies or playing action-packed games on a huge screen.

With a built-in speaker and two HDMI inputs the HD139X is easy to setup and use. Turn it into a smart projector by connecting your smartphone or tablet using MHL; now you can play games, stream videos and share photos on the big screen.

Full HD

Sharper more detailed projection with 1920 x 1080p pixels, perfect for watching Blu-ray movies without downscaling or compression.



Full 3D

Using the inherent speed of DLP technology, The Optoma HD139X Full 3D projector can display true 3D content from almost any 3D display device, including 3D Blu-ray, PS3, Xbox and Sky3D.



Gaming Mode

Designed to provide the best gaming experience you can enjoy lightning response times, high contrast and vivid colours on a large screen using Gaming mode. Perfect for all games including racing and first person shooters.



MHL Connectivity

Incorporating MHL technology you can easily connect to your MHL enabled mobile device with a single cable solution. This will turn your HD139X into a smart projector allowing you to mirror your devices screen, access online content, apps, movies, games and photos stored on your mobile device. You will even be able to control your device with the remote.



Dynamic Black

This feature gives more depth to your image by smoothly adjusting the lamp output, based on the brightness information of each frame; to create a stunning high contrast ratio. Bright scenes appear crisp and clear, while dark scenes remain detailed with deep blacks and exceptional light and shade detail.



2,000:1

20,000:1

24p

Most movies are shot at 24 frames per second. To preserve the purity of the original image the HD139X can accept High Definition sources at 24 frames per second and so to display movies exactly as the director intended.

Amazing Colours

The HD139X incorporates BrilliantColor™ multi-colour processing technology to bring stunning, vibrant colour to your screen. You can even fine tune colours for ultimate precision.



Color Guarantee

We are so confident that the HD139X image colour quality will remain as good as the day you bought it that Optoma will guarantee it for five years.



Powerful Audio

Complete your home cinema experience with the powerful on-board 10W speaker. Offering exceptional sound quality the HD139X is easy to set up without the need for costly external speakers.

HDMI Link

Control HDMI CEC compatible devices. HDMI Link allows you to turn on/off the HD139X and multiple source device with one remote.



Long Lamp Life

The new lamp technology incorporated into the HD139X extends lamp life up to an incredible 6,500 hours. If you watch a two hour movie every day then typically the lamp will last for over 8 years.

HD139X Specification

| | |
|---------------------------------------|--|
| Display Technology | DLP |
| Native Resolution | 1080p 1920 x 1080 |
| Brightness ¹ (Bright Mode) | 2800 ANSI Lumens |
| Contrast | 20,000:1 |
| Noise Level (Eco mode) | 26dB |
| Weight (kg) | 2.45 |
| I/O Connectors | 2 x HDMI (1.4a 3D support) + MHL, Audio Out 3.5mm, 12V Trigger, 3D-Sync, USB Service |
| Maximum Resolution | 1080p |
| Computer Compatibility | UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac |
| Video Compatibility | 1080p, 1080i, 720p, 576i/p, 480i/p |
| Displayable Colours | 1073.4 Million |
| Projection Lens | F/2.5~2.67; f=21.9~24mm, 1.1x Manual Zoom |
| Throw Ratio | 1.48 - 1.62:1 |
| Projection Screen Size | 1.06 - 7.67m (41.8" - 300") Diagonal 16:9 |
| Projection Distance | 1.5 - 10m |
| Zoom Type | 1.1x Manual |
| Aspect Ratio | 16:9 Native, 16:10/4:3 Compatible |
| Offset | 116% ±5% |
| Horizontal Scan Rate | 15.375~91.146 KHz |
| Vertical Scan Rate | 24 ~ 85Hz (120Hz for 3D) |
| Lamp Type | 190W |
| Lamp Life ² Bright | 6500 (hrs) |
| Keystone Correction | ± 40° Vertical |
| Audio | 10W |
| Dimensions (W x D x H) (mm) | 315 x 224 x 114 |
| Remote Control | Full function remote with direct source selecting and backlight |
| Power Supply | Input: 110 - 220v |
| Power Consumption | 233W BRIGHT mode < 0.5W Standby mode, 193W Eco mode < 0.5W Standby mode |
| Operating Conditions | 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m |
| Uniformity | 80% |
| Security | Security Bar, Kensington Lock, Password Protection |
| Standard Accessories | AC Power Cord, Back-lit IR Remote Control with Batteries, Quick Start Card, CD User Manual, Warranty Card |
| Optional Accessories | Ceiling Mount, Screen |
| RoHS | Compliant |
| 3D Support | The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. |
| 3D Viewing | Requires ZF2100 system - Sold separately (Additional Glasses are also available) |
| 3D Compatibility | Side-by-Side: 1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 |
| Speaker (Watts) | 10 |
| On Screen Display | 27 Languages: English, French, German, Spanish, Italian, Portuguese, Dutch, Swedish, Finnish, Greek, Danish, Norwegian, Polish, Russian, Simplified_Chinese, Traditional_Chinese, Korean, Arabic, Japanese, Thai, Hungarian, Czechoslovak, Turkish, Vietnamese, Farsi, Romanian, Indonesian |
| Optional Wireless | Yes |
| Features | Full 3D 1080p Support, Dynamic Black |



Optoma Europe Ltd.

42 Caxton Way, Watford Business Park, Watford, Hertfordshire, UK. WD18 8QZ

www.optoma.co.uk

¹Lamp based projectors brightness and lifetime will vary depending on selected projector mode, environmental conditions and usage. As is common with all lamp based projectors, brightness will decrease over the lamp lifetime. LED projectors do not have a replaceable lamp and the brightness does not decay significantly over the product lifetime. ²Typical lamp life achieved through testing. Will vary according to operational use and environmental conditions. DLP®, and the DLP logo are registered trademarks of Texas Instruments. All other product names and company names used herein are for identifications purposes only and may be trademarks or registered trademarks of their respective owners. All images of products are for representation purposes only. Whilst every care is taken to provide accurate images of our products, actual products may differ slightly. Some product images may have been digitally altered by us to add an Optoma logo to the front panel. Optoma reserves the right to amend or alter actual product or product images without notice. Some images may have been simulated. Errors and omissions excepted, all specifications are subject to change without notice. Copyright © 2014, Optoma Europe Ltd.

19/11/2014 12:51