Key Features

- True 4K HDR immersive visual experience
- 0.22 ultra short throw ratio capable of 100" screen from 23cm away
- 2nd generation Laser Phosphor technology with 20,000 hours lifespan
- Theater-level audio by Harman Kardon with Dolby/DTS support
- Smart connectivity via
 Wi-Fi and Bluetooth



Product **Description**

The X2000B-4K is ViewSonic's first ultra short throw smart laser projector. Combining true 4K UHD resolution, HDR/HLG support, 100% Rec.709 cinematic colors, and custom-built Harman Kardon speakers with Dolby/DTS soundtrack support, the X2000B-4K delivers an audiovisual feast right out of the box. Capable of projecting a 100" image from just 23cm away, the 0.22 ultra short throw ratio offers an immersive experience along with 4 corner and warping adjustment capabilities to turn virtually any surface into a cinema, live concert, or a wonderland beyond your imagination. Built with 2nd generation laser phosphor technology, the X2000B-4K is geared for instant entertainment and ready to accompany you for 20,000 hours of quality visuals. Smart capabilities such as built-in Wi-Fi for wireless content sharing from your mobile devices and Bluetooth for flexible audio options make content streaming easier than it has ever been before.

451 mm









- 1. IR 2. Lens 3. Eye Protection Sensor 4. Power Button 5. Adjustment Foot 6. USB Reader 7. AC In

- 8. HDMI 2.0/HDCP 2.2 9. HDMI 2.0/HDCP 2.2(ARC) 10. Audio Out 11. AV In 12. LAN

SPECIFICATION CONTROL Native Resolution: 3840x2160 USB Type A (Services): (share with USB A Brightness: 2000 (ANSI Lumens) Input) Contrast Ratio: 3000000:1 **OTHERS** 100-240V+/- 10%, Display Color: 1.07 Billion Colors 50/60Hz Power Supply Voltage: Laser Phosphor (AC in) Light Source Type: system Normal: 250W Power Consumption: Light Source Life (hours) with Standby: <0.5W 20000 Normal Mode: Operating Temperature: 0~40°C Lamp Watt: Nichia 74W x1 Carton: Brown Lens: F=3.2, f=2.335mm Net Weight: 6.80kg 140%+/-5% Projection Offset: Gross Weight: 9.90kg Throw Ratio: 0.22 Dimensions (WxDxH) with 451x332x100mm Optical Zoom: Fixed Adjustment Foot: 65"-150" Image Size: Packing Dimensions: 577x488x187mm 0.082m-0.520m English, French, Throw Distance: (100"@0.234m) Spanish, Thai, Korean, German, Italian, Russian, Audible Noise (Normal): 32dB Swedish, Dutch, 30dB Audible Noise (Eco): Polish, Czech, T-Chinese, Total 32GB OSD Language: S-Chinese, (26GB available Local Storage: Japanese, Turkish, storage) Portuguese, Finnish, Indonesian, India, 40ms Input Lag: Arabic, Vietnamese, Greek, Hungarian Total 24 languages VGA(640 x 480) to Resolution Support: 4K(3840 x 2160) English, S-Chinese, 480i, 480p, 576i, T-Chinese, 576p, 720p, 1080i, **HDTV** Compatibility: Indonesian, Finish, 1080p, 2160p French, German, Italian, Japanese, Horizontal Frequency: 15K-135KHz Korean, Polish, User Guide Language: Vertical Scan Rate: 23-120Hz Portuguese, Russian, Spanish, Swedish, Turkish, **INPUT** Arabic, Czech, Thai, AV in (3.5mm): Vietnamese, total 20 languages (HDMI 2.0, HDCP HDMI: STANDARD ACCESSORY 1.4/2.2)Power Cord: Audio-in (Bluetooth): 1 (BT4.2) Remote Control: (w/backlit) USB Type A: (USB2.0 Reader x2) OSG: Yes RJ45 Input (Internet): Warranty Card: Yes (CN Only) Wifi Input: 1 (5Gn)

OPTIONAL ACCESSORY

PJ-WMK-304

PJ-WMK-007

OUTPUT Wall/Ceiling Mount:

Audio-out (Bluetooth): 1 (BT4.2)

Audio-out (3.5mm):

Audio-out (HDMI ARC): (Share with HDMI

Input)

25W Cube x2 Speaker: (10W tweeter + 15W

woofer) x2

(USB2.0 - 5V/1.5A

USB Type A (Power): x2, share with USB A

Input)