
Key **Features**

- 3rd generation LED technology with a 30,000-hour lifespan
- 3,100 LED Lumens for bright and clear images in any environment
- Cinema SuperColor+™
 Technology with 125%
 Rec.709 wide color
 gamut
- 0.69-0.83 short throw ratio with auto V & H/V keystone for easy setup
- Custom-built speakers
 by Harman Kardon



Product **Description**

The X2 is ViewSonic's first lamp-free high brightness short throw smart projector for home. Powered by 3rd generation LED technology and 3,100 LED Lumens of brightness, the X2 replaces frequent lamp replacement and toxic mercury with immediate and immersive big-screen entertainment through instant on/off capability, cinematic colors covering 125% Rec.709, and an impressive lifespan of 30,000 hours. And with a 0.69-0.83 short throw ratio you can go big even in small spaces with a 100" display from only 1.53m away. Dual speakers customized by Harman Kardon deliver powerful, room-filling sound for movie nights or music streamed directly from your smartphone, with the option to connect Bluetooth headphones for personal entertainment. Embedded Wi-Fi connectivity enables screen mirroring directly from smart devices to the big screen, making content streaming easier than ever. And with 1.2x optical zoom, H&V keystone, and 4-corner adjustment capabilities, setting up this 1080p projector is a breeze, even with limited space.



2 of 3 26/09/2023, 14:10 **SPECIFICATION OTHERS**

LED

Native Resolution: 1920x1080 100-240V+/- 10%,

Power Supply Voltage: 50/60Hz Brightness: 3100 (LED Lumens) (AC in)

Contrast Ratio: 3000000:1 Normal: 218W Power Consumption: Standby: <0.5W

Display Color: 1.07 Billion Colors Operating Temperature: 0~40°C

Light Source Type: Carton: Color Light Source Life (hours) with 30000 Normal Mode: Net Weight: 3.6kg

F=2.6-2.78, Gross Weight: 5.5kg Lens: f=10.2-11.22mm

Dimensions (WxDxH) with 355x251x121mm Projection Offset: 105%+/-5% Adjustment Foot:

0.69-0.83 Throw Ratio: Packing Dimensions: 490x376x313mm

Optical Zoom: 1.2X English, French, Spanish, Thai, Digital Zoom: 0.8x-2.0x

Korean, German, Italian, Russian, 60"-120" Image Size: Swedish, Dutch, Polish, Czech, 0.92m-2.2m Throw Distance: T-Chinese, (100"@1.53m)

Japanese, Turkish, Keystone: H:+/-40°, V:+/-40° Portuguese, Finnish,

OSD Language:

S-Chinese,

Indonesian, India, Audible Noise (Normal): 31dB Arabic, Vietnamese, Greek, Hungarian 27dB

Audible Noise (Eco): Total 24 languages Total 16GB

Local Storage: (11GB available English, S-Chinese, T-Chinese, storage)

Indonesian, Finish, Input Lag: 8.3ms French, German,

Italian, Japanese, Korean, Polish, VGA(640 x 480) to Resolution Support: User Guide Language: 4K(3840 x 2160) Portuguese,

Russian, Spanish, Swedish, Turkish, Arabic, Czech, Thai, 480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p **HDTV** Compatibility:

Vietnamese, total 20 languages

STANDARD ACCESSORY

Horizontal Frequency: 15K-135KHz

Vertical Scan Rate: 23-120Hz Power Cord: 1 **INPUT**

USB-C Cable: 1 (1m)

(HDMI 2.0, HDCP HDMI:

Remote Control: 1.4/2.2)(w/backlit)

USB Type C: 1 (5V/1A) QSG: Yes

Audio-in (3.5mm): Warranty Card: Yes (CN Only)

Audio-in (Bluetooth): 1 (BT4.2)

OPTIONAL ACCESSORY

Wall/Ceiling Mount: PJ-WMK-007 USB Type A: (USB2.0 Reader)

Wifi Input: 1 (5Gn)

OUTPUT

Audio-out (3.5mm): Audio-out (Bluetooth): 1 (BT4.2)

(Full range x2)

6W Cube x2

(USB2.0 - 5V/1A x1, USB Type A (Power): share with USB A

Input)

Speaker:

CONTROL

RS232 (DB 9-pin male): USB Type A (Services):

Copyright © ViewSonic Corporation 2000-2023. All rights reserved.

3 of 3 26/09/2023, 14:10